

A Model of Smart Surveillance Security System using Raspberry Pi based on IoT

S. K. Rahul¹, Bhuvana Shiv Kumar², S. K. Parikshith Nayaka³

^{1,2}Student, Dept. of Computer Science and Engg., Alva's Institute of Engg. and Technology, Mangalore, India

³Professor, Dept. of Computer Science and Engg., Alva's Institute of Engg. and Technology, Mangalore, India

Abstract: Communication mainly is the transfer of whatever thing or exchanging of data, so that the Internet of things is naught but the transferring or exchanging of anything with several other things. The using of internet authorized system or devices roughly calculated as that by 2020 there will be nearly about billions. The purpose of the paper is to define a safekeeping alert device spending little handling power by Internet of things which help out to observer plus alerts when gestures or else motion are there then send images to a cloud server. Besides, internet of things centered use can be used tenuously to observe the action as well as acquire warning when gestures or else indication are there. The images are showed straight to a cloud attendant, when the cloud attendant is not accessible at that time the records are put in storage close by on a Raspberry Pi. A credit card size Raspberry Pi with an advantage of Open Source Computer Vision (Open-CV) software knobs the image processing, control algorithms used for the attentiveness then shows taken images to concern persons email by the use of Wi-Fi module. The system uses ordinary webcam.

Keywords: Web camera, Wi-Fi module, Raspberry Pi, keyboard.

1. Introduction

Starting from the small houses to huge industries, surveillance is very essential to fulfill our safety aspects as Burglary and theft have always been a problem. The Internet of Things (IoT) is communications network which built on an "always-on" the Internet. IoT can be well-thought-out as a grid of corporeal things which can be log on through the Internet. Raspberry Pi, a credit card size low-price reasonably priced computer. Raspberry pi platform is being used widely from the past few years. Meaning of Surveillance is observing over commencing a space by means of electronic tools such as CCTV cameras. IoT is linking routine entities cleverly to the Internet to permit communication between things as well as people, also amongst stuffs themselves. The appliance can be some corporeal things identical mobiles, sensors, Internet, TVs as well as actuators. Meant for the things to gather also interchange information electronics, software, hardware plus system connectivity are set in into them.

A solution to stop burdening of the server works is making an image recording devices that would record such image when it is needed. The web camera will record image when intruder is entering a room, in this case the web camera will be detects and captures the motion. It alerts the owner which shows that

the room has been entered by intruder. The notification of this sent as an email, short message service (SMS). The email could be completed with the attachment and text including warning of burglar who is captured as such motion activities in the room. So the monitoring system is implemented and connected to the server. By using Raspberry pi we can hoard captured pictures. So this method will reduce the cost for sure as well as quality also maintained currently sphere everyplace people living here exist even now expedients, which are not only coupled to every further but also advantage in habitual shares, as fitness tracker, devices which advantage in An automobile repair shop, universities which used RFIDs in TD cards. Nevertheless, visualize later a some age where a very large number of campaigns will be linked to all added together with cars, phones, jet planes, as well as applications, fashion electronics as excellence also maintained. There are two challenges need to be careful respect. Our first challenge of this project is that the address of every device should be stored and second task will be records storing, as a large number of plans were joining an information will essential to store used for which huge storing capacity is mandatory. Later information has been together himself or herself essential to kind definite that safety rules were in dwelling like extra as well as additional individual data would be linked since device which not able to come to be broken as well as information shall not able to come to be in fingers of cuts.

The organisation of this paper is listed below. Section II describes the proposed work. Section III describes the system architecture. Section IV describes the setup of the architecture. Section V discussed the experimental result. At last, Section VI concludes the paper.

2. Proposed work

IoT in peoples be in this world had numerous benefits assisting personals, big business as well as on ordinary source. IoT in peoples be in this world had numerous benefits assisting personals, big business as well as on ordinary source. This could be precise advantageous to combine IoT into safety schemes besides the purpose of the project is to combine IoT in safety structures to notice gesture, like every day when himself or herself were at activity you would be capable to observer then got warnings condition some action occurs at his or her house.




Fig. 1. Motion detection flow chart

Every operator who is knowledgeable in the existing system may deliberate of a system that may add more flexibility plus run with some common applications such as android. This work is aimed in such a way to escape the disadvantages of the existing system. The proposed arrangement supports more elasticity, relaxation capacity and protection. The further most important benefit i.e. here arrangement would had above the additional exists i.e. it will form the handlers arrangement not heavy. Here system in view is not at all requiring having machineries next to mutually finishes toward acquire the wanted result. Therefore, aimed at house handlers the arrangement will be shown on the way to stay of significant usage like that one devours less power utilization besides too originates by a small charge. This development purposes to make simpler indication finding as well as the crossing point to be there customer approachable, whichever will show result in notices once indication be present noticed.

3. System architecture

In the existing method the Raspberry Pi is connected to web camera to detect and capture the snapshots, videos of the motion when detected and the RJ45 LAN cable to connect to the Internet for sending and receiving data. The data can be uploaded to external server such as FTP or SFTP or Cloud Servers.

Raspberry Pi executes the processing of all the data and after the data are analyzed then uploading images and Videos to the ftp server and instant email notifications with attached snapshots to user.




Fig. 2. System architecture

Raspberry Pi: A computer which is credit card sized is the Raspberry Pi, in which any HDMI input gadget is able to plug as well as for an operation, a keyboard is required for a procedure. When that one is prepared then the HDMI as well as control panel are similarly not necessarily needed meant for that one operation as you can then operate it by other means. The main technical specifications of the latest model of Raspberry Pi also known as Model B have the following features:

- SD Card Slot is used to install OS/booting/long term storage. The total memory SD card is about 8GB.
- Micro USB Power Port provides 700mA at 5A.
- RCA Video Out is connected to display if HDMI output. It is mainly used to carry audio and video signals. They are otherwise called as A/V jacks.
- Audio out Digital audio is obtained if HDMI is used to obtain stereo audio.
- Ethernet Port is used to connect to the Internet. It similarly plays significant role in updating, and getting new software easier.
- HDMI OUT (High Definition Multimedia Interface) is used with HDTVs as well as monitors with HDMI input.
- GPIO 40 pin interface allows us to control and interact with real world.

The Raspberry Pi runs Linux form operating systems as well as there is a master version of Linux based kernel well known as Raspbian which can run nearly all programs which are Linux compatible. Raspbian is a free operating system based on Debian optimized for Raspberry Pi hardware. An operating system is the set of basic programs and utilizes that make raspberry pi run. The Raspberry pi is a significantly extra powerful device but that power arises with some responsibilities that won't requirements for Arduino devices. For that reason in this project we have made a use of 'python' script for motion detection.

The Raspberry Pi can be used to security system at a relatively low cost. It controls on the concept of the IoT. There are numerous things that make the Raspberry Pi vital for security purpose but the one that stands out the most has to be the remarkably affordable cost. A security system to be installed can be very costly from security companies, however with some skills and time the Raspberry Pi can be programed

to be a safety system by means of as much sensors as you need, for a fraction of the cost. OS/booting/long term storage. The total memory SD card is about 8GB.




Fig. 3. Raspberry Pi

Python: Python is a high-level, interpreted, interactive as well as object-oriented scripting language. Python was designed to be highly understandable which uses English keywords frequently where as other languages usage punctuation and it has rarer syntactical constructions than other languages.

Python is interpreted: It is administered at runtime by the interpreter also you do not need to compile your program before executing it. This is analogous to PERL and PHP. Python is Interactive: This means that you can actually stand at a Python prompt as well as interact with the interpreter directly to write your programs. Python is Object-Oriented: This means that Python provisions Object-Oriented style otherwise technique of programming that compresses code within objects.

Python is Beginner's Language: Python is an impressive language for the learner programmers plus supports the development of a wide range of applications from simple text processing to WWW browsers to games. Python was developed by Guido van Rossum in the late eighties also early nineties at the National Research Institute for Mathematics and Computer Science in the Netherlands. Python is resulting from many other languages, including ABC, Modula-3, C, C++, Algol-68 and other scripting languages. Python is copyrighted. Like Perl, Python source code is now obtainable under the GNU General Public License (GPL).

4. Experimental setup

Motion detection all of it on the base of frame differencing meaning comparing how pixels change location after each frame. The method appearances for an object variation in the image.

The problematic with these motion detection methods is that neither detects slow moving objects, determined by the sensitivity of that verge, nonetheless uncertainty the verge is also delicate, that one shall notice belongings similar to gumshoes as well as modifications daylight.

- Algorithm for Motion Detection

- Process motion detection
- calculation of the mean of a particular shade in that first frame
- Waiting for X sec.
- Calculation of the mean of a particular shade in that second frame
- Condition $absolute (avgFrame1 - avgFrame2) > threshold$ then
- Motion detected



Fig. 4. Experimental setup

Motion Detection algorithm similarly can't examine a spinning thing – a thing i.e. changes. Condition here remains not any gesticulation identified; the package won't protect information.

5. Experimental result

The project as well as application of the proposed keen security observation arrangement with IoT approach by means of the Raspberry-Pi done successfully. Tested fully developed system to demonstrate its feasibility and effectiveness. The monitoring system contains the hardware as well as software operations. The hardware implementation carried out the Raspberry Pi, and the software implementation carried out the software program that is programmed in the Raspberry Pi and the concern person's computer, in order the devices were capable to communicate each other. The screenshots of the smart security surveillance system developed has been presented.

Steps to Install RASPBIAN OS

1. First to assign the ambition meant for fixing Operating System.
2. SD connector could too use designed used meant for this determination
3. From source kiln project which is a zip file, downloading WINDISK 32 value.
4. Extracting and then runs the zip file
5. Selecting the particular file in addition to tick course like manager.
6. selecting the picture file which was already take out from over.
7. Clicking writes and then waits meant for write procedure to finish.




Fig. 5. Ideal Image

A distance range and a threshold resistance value are specified in the Python code. The threshold value basically differentiates between the room being bright as well as dark. If the opposition is upper than the threshold resistance it specifies that one area exists black.




Fig. 6. Motion detection

The above Fig. 5 shows that an ideal image which is captured as a reference image. After that the system will continuously captures images and comparing those images with an ideal image. If an ideal image and captured images having variation then there is motion detection. The above fig. 6 shows that motion is detected as an ideal means reference image and captured image are different.

6. Conclusion and future scope

The monitoring system using the Raspberry Pi as well as the webcam had been completed and tested. Not only the Raspberry Pi applied as a server but also the webcam applied as a motion detection sensor. The capturing and sending notification would be done if there was a motion. The result of the testing illustrates that the monitoring system works well. As the future scope this system can be extended further by adding additional infrared emitting system to detect the people face if they wore the mask on his/her face. By adding this additional system, we can easily identify the person even though the person covered his/her face.

Apart from this we can interface sensors like Gas sensors, Smoke sensors, and Fire sensors to give alerts respectively. Additional use of security system is a keen control device which is thermostat, whichever could be disciplined through a cyberspace. The thermostat or control device could be control the warming arrangement within the house also regulate that one towards the wanted climate. We are going to make available a wireless relay connection also wireless sensor which can be movable as well as can be operated and which can be used in company and appoints for Security to the whole building with one single system.

References

- [1] Sean Dieter Tebje Kelly, Nagender Kumar Suryadevara, and Subhas Chandra Mukhopadhyay, "Towards the Implementation of IoT for Environmental Condition Monitoring in Homes", October 2013.
- [2] S. Hong, D. Kim, M. Ha, S. Bae, S. Park, W. Jung, and J. E. Kim, "SNAIL: An IP-based wireless sensor network approach to the internet of things," *IEEE Wireless Commun.*, vol. 17, no. 6, pp. 34–42, Dec. 2010.
- [3] H. Gharavi and R. Ghafurian, "Smart grid: The electric energy system of the future", *Proceedings of the IEEE*, 2011, Vol. 99, No. 6, 917 – 921.
- [4] D. Surie, O. Laguionie, and T. Pederson, "Wireless sensor networking of everyday objects in a smart home environment," in *Proc. Int. Conf. Intell. Sensors, Sensor Netw. Inf. Process.*, 2008, pp. 189–194.
- [5] N. Bui, A. P. Castellani, P. Casari, and M. Zorzi, "The internet of energy: A web-enabled smart grid system," *IEEE Netw.*, vol. 26, no. 4, pp. 39–45, Jul.–Aug. 2012.
- [6] Iera, C. Floerkemeier, J. Mitsugi, and G. Morabito, "The internet of things," *IEEE Wireless Commun.*, vol. 17, no. 6, pp. 8–9, Dec. 2010.
- [7] Gluhak, S. Krco, M. Nati, D. Pfisterer, N. Mitton, T. Razafindr alambo, "A survey on facilities for experimental internet of things research," *IEEE Commun. Mag.*, vol. 49, no. 11, pp. 58–67, Nov. 2011.
- [8] M. Zorzi, A. Gluhak, S. Lange, and A. Bassi, "From today's INTRANet of things to a future INTERNet of things: A wireless- and mobility related view," *IEEE Wireless Commun.*, vol. 17, no. 6, pp. 44– 51, Dec. 2010.
- [9] Pavithra.D, RanjithBalakrishnan "IoT based monitoring and control system for home automation", *Proceedings of 2015 Global Conference on Communication Technologies (GCCT 2015)*.
- [10] Vishwajeet H. Bhide, "A survey on the smart homes using Internet of Things (IoT)", *International journal of advance research in computer science and management studies* volume 2, issue 12, December 2014.
- [11] M. Mahadi Abdul Jamil, M. ShukriAhmad, "A pilot study: Development of home automation system via Raspberry Pi" *2015 2nd International Conference on Biomedical Engineering (ICoBE)*, 30-31 March 2015.
- [12] R. Sundaramurthy and V. Nagarajan, "Design and implementation of reconfigurable virtual instruments using Raspberry Pi core," *2016 International Conference on Communication and Signal Processing (ICCSP)*, India, 2016, pp. 2309-2313.
- [13] Vinay Sagar KN, Kusuma S M, "Home automation using Internet of things", *International research journal of Engineering and Technology*, Volume 02 Issue 03, June-2015.